
LINERS



DUR 33RD YEAR

FALL 1954 SPRING 1955



"With every plant you profit"



JOHN VERMEULEN & SON

INC.

WOODFERN ROAD NESHANIC STATION, N. J.

NESHANIC 4-5211

BUSINESS HOURS

Weekdays 7:00 a. m. to 12 noon; 1.00 p. m. to 5:00 p. m.
Saturdays 7:00 a. m. to 12 noon

CLOSED ON SUNDAYS AND HOLIDAYS

Preparation of orders can not be made without previous arrangements.

Orders placed earlier in the week may be picked up on Saturday or Sunday or evenings upon arrangement.

Members

American Association of Nurserymen New Jersey Association of Nurserymen Plant Propagator's Society

CERTIFICATES OF INSPECTION

All shipments are accompanied by a certificate of inspection by the State of New Jersey Department of Agriculture.

Shipments leaving the Jap. Beetle Quarantine Area are accompanied by a certificate of inspection by the United States Department of Agriculture attesting the stock shipped to be free of infestation.

TO THE TRADE

September, 1954

Dear Fellow Nurseryman,

Twice annually we have the occasion of this opportunity to write an open letter to the trade. This Fall we find ourselves quite a bit concerned about one thing in particular that you may or may not already be familiar with. Since it concerns each and every one of us we'd like to mention the Stokes Tax Case. For those who may have missed them see the reports in the American Nurseryman of July 15, page 56 and August 1, page 40 and the Florists Exchange of June 12, page 9.

Read these articles. Here is a ruling that in effect may almost demand that every nurseryman hire an expert book-keeper or become one himself. Think of it's import. Everytime you bought a plant it would have to go on a special record. The purchase would not be a deductible expense until the year the plant was sold. When the sale was made out would come the records -- one, two, three maybe ten years later. Think that over. How involved could one get? This and much more seems to be in store for us -- what can we do about it. We're happy to say that the American Association of Nurserymen attorneys are, as Secretary Richard P. White said, on top of the case. Let's hope they can nail down the lid.

Here is ample proof that organization is necessary to the well being of our industry. Only by a united effort, well directed, can a successful solution to this case be worked out. Are you an active member of an active nursery association? If not, we urge you to join soon. The industry needs your organized support.

May we go on to say that we're pleased to send our catalog again. You are invited to consider our attractive prices, high quality stock and efficient service backed by 33 long years of experience. All these add up to guaranteed satisfaction for you. Buy Vermeulen Liners with confidence today and every day. And don't miss our Spring Section and the 5% discount offered. We're hoping to hear from you --soon.

Sincerely,

John and Peter Vermeulen

AZALEA ROOTED CUTTINGS

Available October - December. Well rooted with peat and sand ball. Carefully packed to assure safe arrival.

each per variety 10 100 1000 HINO-CRIMSON, bright crimson red $.12\frac{1}{2}$.10 $.08\frac{1}{2}$ (\$.07\frac{1}{2} each for 5000 or more)

GABLE HYBRIDS, hardy, evergreen .12½ .10 ...
La Lumiere, sgle red

Lorna, dble pink, compact Louise Gable, dble salmon pink Maryann, semi-dble pink, large Mildred Mae, early lavender

KAEMPFERI HYBRIDS, hardy .10 .07½ ...

Carmen, rose pink, compact Fedora, bright rose pink, large

Late Hybrid, salmon pink & salmon orange

Othello, bright brick red

MAXWELLI, low carmine red, late .10 .07½

 $.12\frac{1}{2}$

.10

VUYKIANA HYBRIDS, large pastel

Johann Strauss, rose pink Joseph Hayden, soft lilac

Wilhelmina Vuyk (Palestrina), white

Helena Vuyk (P. W. Hardyzer), carmine - rose

Schubert, light pink

flowers

SEED

OUR OWN SEED, HAND PICKED AND CLEANED.

Per Pkt. \$.75

AZALEA.

KAEMPFERI - Pink

MOLLIS - Orange to red

POUKHANENSIS - Early rose-purple

KALMIA LATIFOLIA

LEUCOTHOE CATESBAIE

RHODODENDRON:

CAROLINIANUM - Light pink to pink

HYBRID RED - From best named reds.

MAXIMUM - White to light pink.

ALPHABETICAL LIST

FALL 1954

STOCK ORDERED FOR SPRING 1955 DELIVERY MUST BE RESERVED WITH A 10% DEPOSIT AND WILL BE SUBJECT TO AVAILABILITY AFTER FALL ORDERS ARE MET. SEE PAGES 14 - 20 FOR ADDITIONAL STOCK AVAILABLE ONLY FOR SPRING 1955.

AVAILABLE ONLY FOR SPRING 1955.		
5 AT 10 RATE, 50 AT 100 RATE, 500 AT 1		
each per ABELIA GRANDIFLORA - Glossy Abelia	10	100
2¼" pot	.221/2	.171/2
3" pot	.40	.30
3½" pot	.60	
ACER-Maple		à
-PAL. ATROPURPUREUM - Japanese Red I	Maple. D	ouble
select red seedlings. 2yr, 4-6" X(\$.18 ea. per 1000)	991/	.20
2yr, 6-9" X(\$.18 ea. per 1000)	271/2	.25
2yr, 2¼" pot, 4-6", hvy.	/2	
(\$.27 ea. per 1000)	.35	.30
2yr 2¼" pot, 6-9",hvy	.40	.35
PAL. ASHI-BENI		
1yr gr., 3" pot, 6-12"		• •
ACER SAC. MONUMENTALE - Sentry Sugar		
most majestic of all the sugar maples with its		
full habit making it supreme for all planti in its range of autumn colors.	ings. Gid	rious
3-4'	4.25	
4-5'		
HARDY AZALEAS		
GABLE LORNA (C8G) Beautiful deep pink	, double	low
compact.		
6-10" XX, bedded, 2yr	1.00	.85
GHENT DAVIESI	1.05	
2yr gr, 3½" pot, 10-12"	1.25	• •
3yr gr, 12-18" B&B	2 00	1.80
Bouquet de Flore, salmon-pink	~. 00	1.00
Charles Baumann, salmon-red		
Grandeur Triumphante, violet-red		
Ignaea Nova, carmine-red		
Josephine Klinger, crimson		
Daviesi, white Sang de Gentbrugge, bright red		
HINO-CRIMSON - Our new bright crimson	n-red 1	hardy
kurume. Does not fade. Far better than his	nodegiri.	Fo-
liage is glossy dark green. Excellent for la	andscape	and
forcing. Selling out since 1944.		
2 ¹ / ₄ " pot	.25	.20
4-6" XX	.60 .80	.50
6-12" XX, bedded, (\$.60 ea. per 1000)		.65
KAEMPFERI - Torch Azalea. Extra hardy, se large trumpet flowers on medium to tall pla		reen,
—SPECIES. Our strain of seedlings run salmon		dark
rose-pink and develop quickly into compact		
4-6" XX, frames	.35	.30
6-8" XX, frames	45	.40
18-24" XXX, field, light		1.50
—LATE FLOWERING HYBRID. Seedlings of brid that blooms two to four weeks after:		
Colors range from salmon-pink to salmon-		iates.
4-6" XX, frames	.35	.30
6-8" XX, frames	.45	.40
-MAROON. Deep maroon on strong plant.		
10-12" XX, bedded	1.00	

TVA TOTAL AZAZ TAG (
HARDY AZALEAS (cont.d) each per 10 100
HARDY AZALEAS (cont'd) each per 10 100 MOLLIS - Chinese Azalea. Large trumpet flowers bloom
early before foliage which is bright green turning beauti-
ful fall colors. Deciduous and hardy.
-BABEUF, orange-red
4-6" X
-TRUE COLOR SEEDLINGS. Hand pollinated. Guaranteed
to color.
6-8" XX, strong
8-12" XX, strong 1.10 .90
12-18" XX, strong 1.35
ORANGE - 6-8", 8-12" and 12-18"
RED - 8-12" and 12-18"
YELLOW - 6-8", 8-12" and 12-18"
-HUGO HARDYZER - Bright red
12-18" B&B 2.00
POUKHANENSIS - Korean Azalea. Fragrant rose-purple
flowers that bloom early on a low compact deciduous
plant. Very hardy.
4-6" X
VUYKIANA HELENA VUYK (P. W. HARDYZER) Hardy
evergreen with large carmine-rose flowers. Strong bloomer.
9-15" XX

BUXUS SEMPERVIRENS HANDSWORTHI - Handsworth
Boxwood. Large convex, dark green leaves on large plant.
Very showy but not hardy everywhere.
2 ¹ / ₄ " pot, 1yr
CALLICARPA JAPONICA - Japanese Beautyberry. Charm-
ing small shrub growing to 4-5 ft. with small pink fowers
and very attractive violet-purple berries.
3" pot, 1-2'
CHAMAECYPARIS (RETINOSPORA) - Cypress
-OBTUSA GRACILIS COMPACTA - Compact Hinoki Cy-
press.
press. 1yr gr, 3" pot
1yr gr, 3" pot
1yr gr, 3" pot
1yr gr, 3" pot
1yr gr, 3" pot
1yr gr, 3" pot
1yr gr, 3" pot
1yr gr, 3" pot
press. 1yr gr, 3" pot
press. 1yr gr, 3" pot
press. 1yr gr, 3" pot
press. 1yr gr, 3" pot
press. 1yr gr, 3" pot

COTONEASTER each per 10 100 —ACUTIFOLIA - Peking Cotoneaster
1yr sdlg
-ADPRESSA PRAECOX - Early Creeping Cotoneaster. Low
spreading shrub growing to about 1½ to 2 ft. Attractive glossy green foliage, small pink flowers and large red
fruits in fall make it very handsome and desireable.
2yr gr, 3½" pot, 18-24" 1.15 1.00
-APICULATA - Cranberry Cotoneaster 1yr sdlg
-DIVARICATA - Spreading Cotoneaster 2yr, 2 ¹ / ₄ " pot, 9-12"
-FOVEOLATA - Glossy Cotoneaster
-ZABELI - Cherryberry Cotoneaster
1yr sdlg
1yr sdlg
CRATAEGUS OXYCANTHA PAULI - Paul's Scarlet Haw-
thorne. A very good small tree to 15 feet with bright scar-
let double flowers in June and colorful red fruit into win-
ter. 2-3' X
3-4' X
CRATAEGUS PHAENOPYRUM - Washington Hawthorn 1yr sdlg
CRYPTOMERIA JAP. LOBBI COMPACTA - Lobb's Crypt-
omeria. Tall, beautiful and majestic pyramidal evergreen
tree which is excellently used for accent, boundaries or
specimens. The foliage, similar to the giant Redwoods of
the West coast, turns bronze in winter. Hardy.
1yr gr, 3" pot
1yr gr, 3" pot .90 2yr gr, 3" pot, 10-18" 1.50 1.25
FRANKLINIA ALATAMAHA - Gordonia or Franklin's Tree
One of the finer small trees for the home and garden
Large single camelia type white flowers with showy gold-
en yellow stamen are most attractive against lustrous dark
green foliage which turns a bronzy-crimson in fall. Flowers
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil.
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil.
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15 HAMAMELIS MOLLIS - Chinese Witchhazel. Golden yellow
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15 HAMAMELIS MOLLIS - Chinese Witchhazel. Golden yellow fragrant threadlike flowers bloom at the first sign of warm.
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15 HAMAMELIS MOLLIS - Chinese Witchhazel. Golden yellow fragrant threadlike flowers bloom at the first sign of warm weather in late winter.
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15 HAMAMELIS MOLLIS - Chinese Witchhazel. Golden yellow fragrant threadlike flowers bloom at the first sign of warm weather in late winter. 1yr gr, 3" pot 1.25 1.00
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15 HAMAMELIS MOLLIS - Chinese Witchhazel. Golden yellow fragrant threadlike flowers bloom at the first sign of warm weather in late winter. 1yr gr, 3" pot 1.25 1.00 ILEX - HOLLY CRENATA - Japanese Holly. Like the Yew this plant has many varieties and a thousand uses. It is hardy, tolerant evergreen and popular a must have item in your nursery.
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr 1.00 3" pot, 18-24", ctg grown, 2yr 1.25 1.15 HAMAMELIS MOLLIS - Chinese Witchhazel. Golden yellow fragrant threadlike flowers bloom at the first sign of warm weather in late winter. 1yr gr, 3" pot 1.25 1.00 ILEX - HOLLY CRENATA - Japanese Holly. Like the Yew this plant has many varieties and a thousand uses. It is hardy, tolerant evergreen and popular a must have item in your nur sery. —SPECIES. Selected for good habit and color.
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr
green foliage which turns a bronzy-crimson in fall. Flowers appear from late August to frost. Not hardy everywhere but perfectly so here. Prefers moist, peaty, acid soil. 3" pot, 12-18", ctg grown, 2yr

ILEX - HOLLY (Cont'd)		
CRENATA (Japanese Holly) (Cont'd) each per	r 10	100
—LATIFOLIA - Bigleaf Jap. Holly. Large dark Plant is hardy, tall and compact. It grow excellent for hedges.	s fast	leaves and is
1yr 2¼" pot	.45	.25 .35 .45
3" pot, 12-15" hvy	.75 all leav	.60
a compact upright habit make this an att variety. 1yr 2 ¹ / ₄ " pot	.30	.25
-ROTUNDIFOLIA - Roundleaf Jap. Holly. La	.45 .rge ova	.35 al dark
green leaves on a hardy, compact, bushy pla ful and popular. 1yr 24" pot(\$.22½ ea. per 1000)		
3" pot, 6-9", hvy (3.32% ea. per 1000)	.45	.25 .35
GLABRA - Inkberry. An excellent native shru most soils and conditions. Dark green leaves in winter. Shiny black berries are prominent	b, toler	darker
ber to late spring. Very hardy. 3" pot		.35
***************************************	.10	.อบ
JUNIPERUS SQ. ALBOVARIEGATA - Varies seed Juniper		Single-
1yr 24" pot KERRIA JAP. PLENIFLORA - Double Japane	se Kerr	.25 ria
1yr 3" pot, from etgs	40	20
KOELREUTERIA PANICULATA - Goldenrain the best of the medium sized flowering trees	hearin	o long
at the base. Hardy and tolerant.	h oran	ge red
1yr sdlgs 2yr X, 12-18" 2yr X, 18-24"	.15 .30	$.12\frac{1}{2}$ $.25$
2yr X, 18-24"	.40	35
Large shrub or tree with long racemes of	enlden-	n. vellow
pealike flowers (like wisteria) up to one foor	t long.	yenow
1yr sdlg(\$.06½ ea. per 1000)	.10	$.07\frac{1}{2}$
LABURNUM ALPINUM - Scotch Laburnum. or tree like Goldenchain with somewhat lo	Large	shrub
Plant grows a bit larger and is hardier.		
1yr sdlg LAUROCERASUS - See Prunus		.071/2
LEUCOTHOE CATESBAIE - Drooping Leucotheshrub with glossy green foliage turning to rice	h fall	anlara
12-18" XX, hvy	in May L00	.90
LIGUSTRUM OVALIFOLIUM - California Priv	et. Our	clay-
loam bottom land grows some of the finest North real hardy. The 3 year old offered cut back to the ground Spring of 1953 and	holow	7770710
with 5 canes or more. They were root pruned 1954 and have branched out beautifully. The MADE HEDGES.	in Snn	ing of
12-18" 2 canes(\$.05 ea. per 1000) 12-18" 3 canes up(\$.07 ea. per 1000)		.06
18-24" 3 canes up (\$.10 ea. per 1000)	•••	.08
$2\frac{1}{2}$ -3' 5 canes up, hvy		.171/2
(\$.15 ea. per 1000) 3½-4½' 5 branched canes up, root prun- (\$.22½ ea. per 1000)	ed	.25
((== /2 -con por 1000)		

MAGNOLIA

MAGNOLIA	
each per 10	100
CORDATA - Yellow Cucumbertree Magnolia. Canary	rellow
flowers. Light green, broad, rounded foliage.	,0110 11
1yr grafts, 3" pot	
LILIFLORA NIGRA - Purple Lily Magnolia. Large li	1
shaped flowers deals rurals and it is it is a state in	ly
shaped flowers, dark purple outside, light purple ins 1yr 3" pot, 6-12"80	nae.
SOULANGEANA - Saucer Magnolia. Ever popular la	ge
shrub or tree with white and deep pink or rose fl	owers
that resemble large cups or saucers.	
2 ¹ / ₄ " pot	.40
1yr 3" pot, 8-12"	.65
3" pot, 12-18" 1.10	
STELLATA WATERLILY - Waterlily Magnolia	
1yr 3" pot	

MAPLE - see Acer each per 10	100
	100
MALUS - Flowering crabapple	•••
1yr gr, 1-2'	.30
DOLGO, white, red fr.	
ELEYI, purplish red fl. & fr.	
FLORIBUNDA, pink & white, yel. & red fr.	
HOPA, purplish red, or. & red fr.	
SCHEIDECKERI, dble pink, yel. & or. fr.	
PICEA GLAUCA (CANADENSIS-ALBA) - White Spru	ce.
	.04
2yr sdlg, 4-6"(\$.04 ea. per 1000)	.05
PIERIS JAPONICA - Japanese Andromeda (Lily-of-th	e-val-
ley shrub). A hard to beat broadleaved evergreen. F	
is deep green with new growth a rosy-wine color. Fl	
are drooping panicles of white bell-like clusters. But	
formed in the fall giving a lacy delicate appearan- winter.	e an
	95
3yr X, 4-6"	.25
3yr X, 6-9"	.35
	.70
12-15" XX, hvy 1.10	.90
,,	1.10
PRIVET - see Ligustrum	
PRUNUS LAUROCERASUS SCHIPKAENSIS - Hardy	
ry Laurel. An attractive hardy evergreen with large	
dark green leaves. Fluffy creamy-white flower spike	s ap-
pear in May. Excellent for cutting winter greens for	home
or commercial decorating.	
1yr 2¼" pot	.30
1yr 3" pot	.40
PRUNUS THUNDERCLOUD - Purple Leaf Plum. Dee	p
purplish red foliage.	-
2-3', branched	.60
3-4'. branched	.75
PRUNUS TRIBOLA - Flowering Plum. Shrub or small	
Double pink flowers cover the branches in April-Ma	
2-3' bush form	.75
3' standards, 2yr tops 1.75	
4' standards, 2yr tops 2.00	
PRUNUS VESUVIUS - Purple Leaf Plum. Very deep	
lish-red foliage.	Lar.b
3-4' branched	
	75
4-5' hranched	.75
4-5' branched	1.00
PVRACANTHA COCCINEA LALANDI - Laland Fireth	1.00 orn.
PYRACANTHA COCCINEA LALANDI - Laland Fireth Orange-red berries against deep green foliage are a	1.00 orn.
PYRACANTHA COCCINEA LALANDI - Laland Fireth Orange-red berries against deep green foliage are a tive in fall and winter.	1.00 torn.
PYRACANTHA COCCINEA LALANDI - Laland Fireth Orange-red berries against deep green foliage are a tive in fall and winter. 21/4" pot, from cuttings	1.00 torn. ttrac-
PYRACANTHA COCCINEA LALANDI - Laland Fireth Orange-red berries against deep green foliage are a tive in fall and winter.	1.00 torn.

RHODODENDRON

GRAFTED HYBRIDS

Strong, healthy, well branched 2yr grafts, 10-15", from $3\frac{1}{2}$ " pots plunged in outdoor frames. All hardy, hardened varieties.

The following at \$22.50 per 10, \$100.00 per 50, \$185.00 per 100 (varieties may be assorted)

CARACTACUS - crimson, good compact habit

CATAWBIENSE ALBUM - pure white, good habit

E. S. RAND - good red, low

EVERESTIANUM - rose-lavender, fringed

F. D. GODMAN - dark red, crimson blotch

PROF. BETTEX - Fine red, good habit

OWN ROOT HYBRIDS

Sturdy transplants 1 year from cuttings. Shipped with good soil ball. Nice stock. Limit of 25 of a variety, except English Roseum.

The following at \$13.50 per 10, \$60.00 per 50, \$105.00 per 100. (varieties may be assorted)

CUNNINGHAMI WHITE - white, vigorous

LARGE WHITE - unnamed hybrid with large white flowers

PURPUREUM ELEGANS - light purple, dark foliage ROSEUM ELEGANS - rose-pink, good habit & foliage

The following at \$16.50 per 10, \$70.00 per 50, \$125.00 per 100. (varieties may be assorted)

ALBUM ELEGANS - tall, white

CARACTACUS - crimson, good foliage and habit

CATAWBIENSE ALBUM - pure white

DR. DRESSELHUYS - aniline red, tall

ENGLISH ROSEUM - dark rose-pink, good habit & foliage

IGNATIUS SARGENT - light red

ROSEUM SUPERBUM - soft pink, blooms later

2 year transplants from cuttings. Strong, healthy branched plants. Shipped with good soil ball.

The following at \$19.00 per 10, \$82.50 per 50, \$150.00 per 100. (varieties may be assorted)

ALBUM ELEGANS, white

ROSEUM ELEGANS, rose-pink

ENGLISH ROSEUM, dark rose-pink

ROSEUM SUPERBUM, late pink

SELECTIONS Our selection from above and other hardy varieties to contain some each of red, purple, pink and white. Labeled by name.

1yr - \$12.50 per 10

2yr. - \$16.50 per 10

.50

 RED HYBRID SEEDLINGS. Seed picked from best named red hybrids.
 each per 10 100
 100 25

 4-6" XX, frames
 .36 .35 .30
 .50 .40

WILSONI (LAETEVIRENS) - Wilson Rhododendron. Wide spreading shrub with bright evergreen leaves, long and narrow. Rose-pink flowers.

3" pot, branched from rooted cutting.. .60

SPRUCE - see Picea	each per 10 100
SYRINGA HYBRIDS - Hybrid 1yr grafts, X, 6-15"	Lilac
Ambassadeur, S blue	Mme A. Buchner, D pink
Belle de Nancy, D pink	Monge, S purple
Charles X, S red	Montaigne, D pink
Comte de Kerchove, D red	Mont Blanc, S white
Duc de Massa, D blue	Mrs. Edw. Harding, D red
Ellen Willmott, D White	Pres. Grevy, D blue
Henri Martin, D lilac	Pres. Lincoln, S blue
Jan Van Tol, S white	Ruhm v Horstenstein, S red
K. Havemeyer, D pink	Vestale, S white
Leon Gambetta, D lilac	Victor Lemoine, D lilac
Ludwig Spaeth, S purple	•

TAXUS - YEW BACCATA REPANDENS - Spreading English Yew. Low

	h Yew.	TIOW
spreading habit with moderately drooping	oranches	and
dark green foliage. Hardy.		
1yr 21/4" pot	.30	.25
1yr 2¼" pot	.40	.35
CUSPIDATA - Spreading Japanese Yew		
Rooted cutting, 6-8"	.12	.09
1yr X 4-6"	$.22\frac{1}{2}$	$.17\frac{1}{2}$
-BREVIFOLIA - Dwarf Spreading Japanese	Yew.	
	.13	.10
1yr X, 6-10"	.25	.20
-CAPITATA - Upright Japanese Yew		
Rooted tip cuttings, 4-8"	.15	$.12\frac{1}{2}$
Rooted tip cuttings, 8-10"		.15
Rooted tip cuttings, 10" hvy		$.17\frac{1}{2}$
9-12" XX adles (\$45 as per 1000)	60	.50
9-12" XX, sdlgs (\$.45 ea. per 1000) 12-15" XX, sdlgs (\$.55 ea per 1000)	70	.60
15-18" XX, sdlgs	95	.75
-DENSIFORMIS - Dense Japanese Yew. A ric	h croom	
-DENSIFORMIS - Dense Japanese 1ew. A ric	n green	COIII-
pact semi-spreading yew that is hard to		
graceful needles closely spaced plus str	ong mu	iitipie
branches give a compact plant without bec	oming st	
Rooted ctgs, $6-8$ (\$.09\frac{1}{2} ea. per 1000))	.13	.10
1yr X, 4-6"	$.22\frac{1}{2}$	$.17\frac{1}{2}$
2yr X 4-6"	.30	.25
2yr X, 6-8"	.35	.30
2yr X, 6-8" 2yr X, 8-10"	.40	.35
INTERMEDIA - Spreading type.		
Rooted cutting, 5-9"	.13	.10
1yr X, 6-8"	.20	$.17\frac{1}{2}$
VERMEULEN - Vermeulen Yew. Like an 1		
VERMIEUDEN - Vermeuten 1ew. Dike an	pright 1	
	ipright 1	brevi-
folia with dense foliage, broad compact base	ipright 1	brevi-
folia with dense foliage, broad compact base tiple leaders. A really fine plant.	ipright l e, sturdy	brevi- mul-
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8"	ipright e, sturdy .13	brevi-
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8"	ipright le, sturdy .13 .25	.10 .20
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8"	ipright le, sturdy .13 .25	brevi- mul-
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew	npright le, sturdy .13 .25 .35	.10 .20 .30
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De	npright le, sturdy .13 .25 .35 nse, con	.10 .20 .30
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very	npright le, sturdy .13 .25 .35 nse, con	.10 .20 .30
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen.	npright 1 e, sturdy .13 .25 .35 nse, con hardy.	npact, A re-
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8"	.13 .25 .35 .35 nse, con hardy.	.10 .20 .30 .30 npact, A re-
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8"	.13 .25 .35 nse, con hardy.	.10 .20 .30 .30 .17½
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8"	.13 .25 .35 nse, con hardy.	.10 .20 .30 mpact, A re- .10 .17½ .27½
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10"	.13 .25 .35 nse, con hardy.	.10 .20 .30 .30 .17½
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew	.13 .25 .35 nse, con hardy. .13 .22½° .32½° .35	npact, A re10 .17½ .30
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10"	.13 .25 .35 nse, con hardy. .13 .22½ .32½ .35	npact, A re10 .17½ .27½ .30
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6"	.13 .25 .35 .35 .22½° .32½° .32½° .32½°	npact, A re10 .17½ .27½ .30 .10 .17½
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6" 2yr X, 8-10"	.13 .25 .35 .35 .22½° .32½° .32½° .32½°	npact, A re10 .17½ .27½ .30 .10 .17½
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6" 2yr X, 8-10" —KELSEYI - Kelsey Berrybush Yew.	.13 .25 .35 nse, con hardy. .13 .22½° .32½ .35 .13 .22½° .35	npact, A re10 .17½ .27½ .30 .10 .17½ .27½ .30
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6" 2yr X, 8-10" —KELSEYI - Kelsey Berrybush Yew. Rooted cutting, 4-8"	.13 .25 .35 .35 .35 .32½ .32½ .35 .32½ .35 .33 .22½ .35 .13 .22½ .31 .32½ .31 .32½ .31 .32½ .31 .32½ .31 .32½ .31 .32½ .31 .32½ .31 .32½ .31 .32 .32½ .31 .31	npact, A re10 .17½ .27½ .30 .10 .17½ .27½ .10
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6" 2yr X, 8-10" —KELSEYI - Kelsey Berrybush Yew. Rooted cutting, 4-8" —VERTICALS - Vertical Anglojap Yew. Tall, r	npright le, sturdy .13 .25 .35 nse, con hardy. .13 .22½ .32½ .35 .13 .22½ .32½ .31½	npact, A re10 .17½ .27½ .30 .10 .17½ .27½ .10 nardy.
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6" 2yr X, 8-10" —KELSEYI - Kelsey Berrybush Yew. Rooted cutting, 4-8"	npright le, sturdy .13 .25 .35 nse, con hardy. .13 .22½ .32½ .35 .13 .22½ .32½ .31½	npact, A re10 .17½ .27½ .30 .10 .17½ .27½ .10 nardy.
folia with dense foliage, broad compact base tiple leaders. A really fine plant. Rooted cutting, 4-8" 1yr X, 6-8" 2yr X, 6-8" MEDIA - Anglojap Yew —HATFIELDI - Hatfield Anglojap Yew. De columnar yew with multiple leaders. Very ally fine plant for hedges and specimen. Rooted cutting, 4-8" 1yr X, 4-10" 2yr X, 6-8" 2yr X, 8-10" —HICKSI - Hicks Yew Rooted cuttings, 6-10" 1yr X, 4-6" 2yr X, 8-10" —KELSEYI - Kelsey Berrybush Yew. Rooted cutting, 4-8" —VERTICALS - Vertical Anglojap Yew. Tall, r	npright le, sturdy .13 .25 .35 nse, con hardy. .13 .22½ .32½ .35 .13 .22½ .32½ .31½	npact, A re10 .17½ .27½ .30 .10 .17½ .27½ .10 nardy.



V E R Ι Y E W S



Pyramidalis

Grandifolia

- TALL — NARROW — HARDY —

Developed to replace troublesome Junipers, the rapidly overgrowing arborvitaes and the much less hardy Irish Yew. Use for accent, specimens, background. Excellent for hedges as it forms a compact, tight, narrow hedge - a living wall.

FLUSHING - Flushing Yew. Large, sturdy needles and strong growth make Flushing a rich, dark green column. Grades B, H, J, K, L, M, N.

GRANDIFOLIA - Bigleaf Yew. Strong sturdy plant with long dark green needles. Rich and unusual.

Grades B, D, E, G, J, K, M, N.

PYRAMIDALIS - Pyramid Yew. Fast growing with vertical branches and graceful foliage. A rich, showy, full bushed pyramid.

Grades A, D, E, G, H, J, K, M, N.

ROBUSTA - Obelisk Yew. Similar to pyramidalis but with heavier branches and habit. Needles are large and glossy. Grades B, D, E, F, K, L.

STRICTA - Narrowbush Yew. Compact, slower growing

plant with short medium green needles.

Grades C, D, E, G, H, J, M.
VIRIDIS - Grassgreen Yew. Year-around fresh green color. Strong sturdy growth of vertical branches in slender habit make it one of the best.

Grades B, C, D, E, F, H, J, M, N.

G124C5 D, C, D, D, 11, 11, 0, 111, 1	•		
	each	10	100
A Rooted cutting, 4-6"		.13	.10
B Rooted cutting, 6-8"		.15	$.12\frac{1}{2}$
C Rooted cutting, 8-10"		$17\frac{1}{2}$.15
D 2yr X, 4-6"	.40	.35	.30
E 2yr X, 6-8"	.45	.40	.35
F 2yr X, 8-10"	.50	.45	.40
G 2yr 2 ¹ / ₄ " pot	.50	.45	
H 8-12" XX, field	.95	.85	.75
J 12-18" XX, field	. 1.10	1.00	.90
K 18-24" XX, field	1.35	1.25	1.15
L 24-30" XX, field	. 1.60	1.50	1.40
M 18-24", B&B	3.00	2.75	2.50
N 24-30" B&B	3.25	3.00	2.75

each per 10 THUYA OCCIDENTALIS - American Arborvitae	100
9-12" X	$12\frac{1}{2}$
12-15" X (\$.12% ea. per 1000) .18	15
15-18" X	20
4 044 74	20
6-8" X	25
8-10" X	30
Hemlock. A slow growing, dense, compact hemlock good habit and color. Hardy.	with
1yr graft, 3" pot	nod
ian Hemlock, Distinctively beautiful pyramidal form.	
dense and compact than the species but a good rate	
growth and good color. Shapes up quickly, Hardy.	
1yr graft, 3" pot	
= j = g = j p.v.c · · · · · · · · · · · · · · · · · · ·	
VIBURNUM	
BURKWOODI - Burkwood Viburnum. Superior to carles	
foliage which is semi-evergreen and a dark glossy g in color. Flowers are fragrant pinkish clusters, appea	
in May.	img
$2\frac{1}{4}$ " pot, own root	25
	45
DENTATUM - Arrowwood Viburnum. Upright shrub white flower cymes in late spring. Beautiful fall foli	
Blue-black berries attract birds.	age.
1yr sdlg, 6-12"(\$.06 ea. per 1000) .10	
DILITATUM - Linden Viburnum. Large clusters of cre	
white flowers in May-June. Scarlet-red shiny berriefall persisting all winter.	5 111
lyr sdlg, 4-6"(\$.04 ea. per 1000)	06
	$07\frac{1}{2}$
2yr sdlg X, 1-2'	.15
branched evergreen with large, heavy, dark green, hea	vily
wrinkled leaves. Large yellowish-white flower cymes	s in
May-June. Fruits are red changing to black. Very sh year around.	owy
· ·	45
SETIGERUM - Tea Viburnum. White flowers with pu	
calyx in May-June. Red berries cover the plant in the	fall
and remain attractive well through the winter. 1yr sdlg, $6-12$ "	10
WRIGHTI - Wright Viburnum. Bright scarlet berries	that
stay on all winter in thick attractive clusters. More	up-
right and compact than the dilitatum otherwise simils	
	$12lar{1}{2}$
THEIFERUM - Tea Viburnum. Considered by many to	
the same as setigerum but our strain has larger leaves brighter berries.	
1yr sdlg	$07\frac{1}{2}$
flowers in june followed by red to black berries.	TITLE
3" pot	30
WISTERIA SINENSIS BLUE - Blue Chinese Wisteria. 1yr sdlg, 6-12", strong	071/2
WISTERIA FLORIBUNDA - Japanese Wisteria. Extra	long
clusters of flowers on sturdy, hardy vines.	
	40
2yr gr., 3" pot	50
-ROYAL PURPLE - violet purple.	
-VIOLACEA PLENA - double violet.	
PAGE THIR	TEEN

SPRING 1955

STOCK ORDERED FOR SPRING 1955 DELIVERY MUST BE RESERVED WITH A 10% DEPOSIT. ORDERS RECEIVED PRIOR TO DEC. 31, 1954 ACCOMPANIED BY PAYMENT IN FULL WILL BE ENTITLED TO 5% DISCOUNT IN ADDITION TO PACKING WITHOUT CHARGE. OTHERWISE REGULAR TERMS AND CONDITIONS OF SALE PUBLISHED AT THE BACK OF THIS LIST APPLY. ALL ORDERS WILL BE ACKNOWLEDGED AND FILLED IN ORDER OF THEIR RECEIPT.

ROOT GRAFTS

We offer only expertly grafted plants with strong, short cions grafted on healthy piece roots. Entire cion and union is dipped in warm (not hot) parafin immediately after grafting and then stored in boxes in moist peatmoss until callused after which the boxes are placed in cool storage. All shipments will be made between March 15th and April 1st unless otherwise requested or specified or unless, due to inclement weather, period is extended to April 15th.

MALUS - FLOWERING CRABAPPLE

(10-49 of a var. \$.20 ea., 50 up of a var. \$.15 ea.)

TYPE FL. FOLIAGE FRUIT VARIETY COLOR EL. ARNOLDIANA - ARNOLD ROSE & WHITE SINGLE GREEN YELLOW ATROSANGUINEA - CARMINE RED & WHITE SINGLE GREEN RED Dolgo - polgo WHITE SINGLE GREEN BR. RED ELEYI - ELEY PUR. RED SINGLE PUR.RED PUR.RED FLORIBUNDA - JAPANESE PINK & WHITE SINGLE GREEN YEL & RED HOPA - HOPA PUR. RED SINGLE PUR RED OR&RED HUPEHENSIS (THEIFERA) - PINK TO WHITE SINGLE GREEN YEL&RED IDENSIS PLENA - BECHTEL PINK DOUBLE GREEN GREEN PARKMANII - PARKMAN PINK DOUBLE GREEN RED SARGENTI - SARGENT WHITE SINGLE BREEN RED Scheideckeri - scheidecker PINK DOUBLE GREEN YEL&ORGE SPECTABILIS - CHINESE PINK S-DBLE GREEN YELLOW

PRUNUS - FLOWERING JAPANESE CHERRY

(10-49 of a var. $$.22\frac{1}{2}$ ea., 50 up of a var. $$.17\frac{1}{2}$ ea.)

AMANOGAWA - PYRAMIDAL, TALL & NARROW, DOUBLE PINK FLOWER KWANZAN - BEST DOUBLE PINK, TREE FORM SHIDARE HIGAN - SINGLE PINK, WEEPING KIKU-SHIDARE - DOUBLE PINK, WEEPING YOSHING - SINGLE PINK, LARGE TREE

SYRINGA - FRENCH HYBRID LILAC

(10-49 of a var. $$.22\frac{1}{2}$ ea., 50 up of a var. $$.17\frac{1}{2}$ ea.)

ADELAIDE DUNBAR, S PURPLE
AMBASSADEUR, B BLUE
BELLE DE NANCY, D. PINK
CHARLES X, B RED
COMTE DE KERCHOVE, D RED
CONIGO, B RED
DIPLOMATE, B BLUE
DUC DE MASSA, D BLUE
ELLEN WILLMOTT, D WHITE
EDITH CAVELL, D WHITE
ETNA, B PURPLE
GEORGES BELLAIRE,
D RED
HENRI MARTIN, D LILAC
JAN VAN TÖL, S WHITE
K. HÄVEMEYER, D PINK
LEON GAMBETTA, D LILAC

MARECHAL FOCH, S RED MME A BUCHNER, D PINK MONGE, S PURPLE MONTAIGNE, D PINK MONT BLANC, S WHITE MRS EDW HARDING, D RED PAUL HARIOT, S PURPLE PRES. GREVY, D BLUE PRES. LINCOLN, S BLUE R. V. HORSTENSTEIN, S RED STADT. ROTHPLETZ D PURPLE VESTALE, S WHITE VICTOR LEMOINE, D LILAC VIOLETTA, D VIOLET

S PINK

LUCIE BALTET,

S PURPLE
PAGE FOURTEEN

POT GRAFTS

each	per 10	10 0
Sturdy, full measure cions on strong und	erstocks	well es-
tablished in 21/4" rose pots. Ready May 1-18	5 and aft	er.
ACER PALMATUM - Japanese Maple		
ASHI-BENI - A fine clear red noted for ha	rdiness a	nd good
habit. 8-12"	.90	.75
ATROPURPUREUM - Bloodleaf Jap. Rec	d Maple	
8-12"	.90	.75
BURGUNDYLACE - Laceleaf Jap. Red I	Maple. B	eautiful
burgundy-red, gracefully lacinated striking	ng a hapj	py med-
ium between the cutleaf and the bloodle	eaf. Habi	t is up-
right but it is more compact and does as the atropurpureum. Hardy.	not grow	as tan
8-12"	1.25	1.00
DISSECTUM - Green Cutleaf Jap. Maple	1.20	1.00
8-12"	.90	.75
DISSECTUM PURPUREUM - Red Cutleaf	f Jap. Ma	ple
8-12"	.90	.75
ACER SAC. MONUMENTALE - Sentry Su		
most majestic of the sugar maples turning		
of yellow, orange and scarlet in the fall. T	all and co	lumnar
with ascending branches. 6-10"	1.50	1.25
CRYPTOMERIA JAP. LOBBI COMPACTA		
tomeria. Tall, beautiful and majestic pyra		
tree. Excellent for accent, boundaries or sp	ecimens.	Foliage
similar to the giant Redwoods of the W	Jest coas	t turns
bronze in winter.		
6-9"	90	.75
HAMAMELIS MOLLIS - Chinese Witchhaz		
fragrant threadlike flowers bloom at the	he first	sign of
warm weather in late winter. 8-10"	1 10	.90
RHODODENDRON - See page 20	1.10	.00
TSUGA CANADENSIS - Canadian Hemlock		
COMPACTA - Compact Canadian Hemloc		l dense.
compact, slow growing plant with shor		
spaced needles of good color. Hardy.		
6-8"	1.00	.85
PENDULA (SARGENTI) - Sargent Wo Hemlock. One of the most graceful o	seping Ca	anadian
evergreens with long slender weeping	branches	Grows
rarely above 8 to 10 feet and broader th		
8-12"	1.00	.85
PYRAMIDALIS - Pyramidal Canadian H	emlock.	An ex-
cellent pyramid slower growing, more	compact	
darker foliage and as hardy as the spec		
8-10''	1.00	.85

Our packing, based on 33 years experience, continually warrants praise from satisfied customers.

ROOTED CUTTINGS

Strong full measure cuttings hormone treated for abundant pliable roots that allow safe shipping and planting and sure stands. All cuttings 6-8" unless noted.

each per variety per 10 100 1000

each per variety per	10	100	1000
ILEX AQUIFOLIUM - English Holly			
FEMALE (3-5")	.25	.20	
MALE (3-5")	.25	.20	
PYRAMIDALIS (3-5")	.25	.20	
• •	.20	0	• •
ILEX CRENATA - Japanese Holly			
CRENATA - selected strain	.12	.09	.08
CONVEXA (Bullata) - Convexleaf J. H.	.12	.09	.08
LATIFOLIA - Largeleaf J. H.	.12	.09	.08
LONGIFOLIA - Longleaf J. H.	.12	.09	.08
MICROPHYLLA - Smalleaf J. H.	.12	.09	
ROTUNDIFOLIA - Roundleaf J. H.	.12	.09	.08
	.12	.00	.00
ILEX OPACA - American Holly			
FEMALE - selected strains (3-5")	.25	.20	
MASCULA - Male (3-5")	.25	.20	
PYRAMIDALIS - Pyramidal A. H. An	excelle	ent pyr	ramid
form with semi-glossy green leaves and	large	red be	erries.
Hardy. (3-5")	.25	.20	
ROTUNDIFOLIA - Roundleaf A. H. Nic	alv al	aned i	round
leaves well spiked make this female va	voig bi	TONE O	ttnoo
tive. Color is a nice green but darkens	on:to	domo ;	n the
			n the
colder regions. 3-5"	.25	.20	• •
JUNIPERUS - Juniper			
CHIN. PFITZERIANA - Pfitzer Spreadi	ng J.		
•	.15	$.12\frac{1}{2}$	
CHIN. PFITZERIANA COMPACTA - C			er
Spreading J.	.16	.131/2	.01
HETZI GLAUCA - Blue Hetzi J.	•10	.10 /2	• •
		101/	
	15	$.12\frac{1}{2}$	• •
HORIZONTALIS GLAUCA - Blue Creepi	ng J.		
	_		
	L5	$.12\frac{1}{2}$	
HORIZONTALIS PLUMOSA - Andorra	L5	.12½	••
HORIZONTALIS PLUMOSA - Andorra	L5	.12½	••
HORIZONTALIS PLUMOSA - Andorra	ເ5ິ J.		••
HORIZONTALIS PLUMOSA - Andorra TAXUS - Yew	15 J. 15		••
HORIZONTALIS PLUMOSA - Andorra TAXUS - Yew CAPITATA - Upright Japanese Yew (lea	15 J. 15	.12½	
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea	l5 J. l5 ders) l5	.12½	
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea	l5 J. l5 ders) l5	.12½	
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea	15 J. 15 ders) 15 .12	.12½	.08
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew	15 J. 15 ders) 15 .12	.12½ .12½ .09	.08
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew	15 J. 15 .ders) 15 .12 .13	.12½ .12½ .09 .10	.08
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed.	15 J. 15 .ders) 15 .12 .13 v. One Hard	.12½ .12½ .09 .10 .10 .10 the	.08 .09 e best
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color.	15 J. 15 ders) 15 .12 .13 v. One Hard .13	.12½ .12½ .09 .10 .10 .10 .10 .10	.08 .09 e best apact, .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading)	J. J. J. J. J. J. J. J. J. J. J. J. J. J	.12½ .12½ .09 .10 .10 .10 the	.08 .09 e best
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color.	J. J. J. J. J. J. J. J. J. J. J. J. J. J	.12½ .12½ .09 .10 .10 .10 .10 .10	.08 .09 e best apact, .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading)	J. J. J. J. J. J. J. J. J. J. J. J. J. J	.12½ .12½ .09 .10 .10 .10 .10 .10	.08 .09 e best apact, .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading)	L5 J. L5 .ders) L5 .12 .13 v. One Hard .13 .13	.12½ .12½ .09 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia Browni - Brown's Yew	15 J. ders) 15 .12 .13 v. One Hard .13 .13	.12½ .12½ .09 .10 .10 of the y, con .10 .10	.08 .09 e best npact, .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviforman.	15 J. 15 J. 15 J. 15 J. 12 J. 13 J. 13 J. 13 J. 13 J. 13 J. 13 J. 13 J. 13 J. 13	.12½ .12½ .09 .10 .10 tof the y, con .10 .10 .10	.08 .09 e best apact, .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Brevifo MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi	15 J. 15 .ders) 15 .12 .13 v. One Hard .13 .13 !ia .13 .13 Yew .13	.12½ .12½ .09 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Brevifo MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew	15 J. (15 J. (15 J. (15 J. (12 J. (13) J. (13)	.12½ .12½ .09 .10 .10 tof the y, con .10 .10 .10	.08 .09 e best apact, .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Brevifo MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi	15 J. 15 ders) 15 .12 .13 v. One Hard .13 .13 lia .13 .13 .13 .13 .14 Yew .13 .12 Yew	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Brevifo MEDIA BROWNI - Brown's Yew MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yellow	15 J. 15 J. 15 J. 15 J. 15 J. 12 J. 13 V. One Hard 13 J. 13 J. 13 Yew 13 J. 12 Yew 13 J. 12 Yew 13	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yemedia VERTICALS. These new tall nate	15 J. 15 J. 15 J. 15 J. 15 J. 12 J. 13 V. One Hard 13 J. 13 J. 13 Yew 13 J. 12 Yew 13 J. 12 Yew 13	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yemedia VERTICALS. These new tall nate	15 J. 15 J. 15 J. 15 J. 15 J. 12 J. 13 V. One Hard 13 J. 13 J. 13 Yew 13 J. 12 Yew 13 J. 12 Yew 13	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Brevifo MEDIA BROWNI - Brown's Yew MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yellow	15 J. 15 J. 15 J. 15 J. 15 J. 15 J. 12 J. 13 J. 13 J. 13 J. 13 J. 13 J. 12 J. 12 J. 12 J. 12 J. 13 J. 13 J. 12 J. 13 J. 13 J. 12 J. 14 J. 15 J. 15 J. 16 J. 17 J. 17 J. 18 J. 18 J. 19 J. 18 J. 19 J. 18 J. 19 J.	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .varietie	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yeberribed on page 12. FLUSHING - Flushing Yew	15 J. (15 J. (15 J. (15 J. (12 J. (13) J. (13)	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yellonga VERTICALS. These new tall nat described on page 12. FLUSHING - Flushing Yew GRANDIFOLIA - Bigleaf Yew	15 J. 15 J. 15 J. 15 J. 15 J. 12 J. 13 J. 13 J. 13 J. 13 J. 12 J. 12 J. 13 J. 12 J. 13 J. 12 J. 13 J. 15 J.	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yeb MEDIA VERTICALS. These new tall nat described on page 12. FLUSHING - Flushing Yew GRANDIFOLIA - Bigleaf Yew PYRAMIDALIS - Pyramid Yew	15 J. 15 J. 15 J. 15 J. 12 J. 13 J. 13 J. 13 J. 12 J. 13 J. 12 J. 13 J. 15 J.	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew (lead CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yeber MEDIA VERTICALS. These new tall nated described on page 12. FLUSHING - Flushing Yew GRANDIFOLIA - Bigleaf Yew PYRAMIDALIS - Pyramid Yew ROBUSTA - Obelisk Yew	15 J. 15 J. 15 J. 12 J. 13 J. 13 J. 13 J. 13 J. 12 J. 13 J. 12 J. 13 J. 15 J.	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .11 .10 .12½ .12½ .12½ .12½ .12½	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lea CUSPIDATA - Spreading Japanese Yew CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Brevifo MEDIA BROWNI - Brown's Yew MEDIA HICKSI - Hicks Yew MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yeber Granding Yew GRANDIFOLIA - Bigleaf Yew PYRAMIDALIS - Pyramid Yew ROBUSTA - Obelisk Yew STRICTA . Narrowbush Yew	15 J. 15 J. 15 J. 12 J. 13 V. One Hard 13 J. 13 J. 13 J. 12 Vew 13 J. 12 Vew 15 J. 1	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .11 .10 .12½ .12½ .12½ .12½ .12½ .12½	.08 .09 e best apact, .09 .09 .09 .09 .09 .09
TAXUS - Yew CAPITATA - Upright Japanese Yew (lead CUSPIDATA - Spreading Japanese Yew (lead CUSP. BREVIFOLIA - Dwarf Jap. Yew CUSP. DENSIFORMIS - Dense Pap. Yew semi-spreading yews yet developed. heavy dense foliage of good color. CUSP. INTERMEDIA (Spreading) CUSP. VERMEULEN - Upright Breviformedia BROWNI - Brown's Yew MEDIA BROWNI - Brown's Yew MEDIA HATFIELDI - Upright Hatfieldi MEDIA HICKSI - Hicks Yew MEDIA KELSEYI - Kelsey Berrybush Yeber MEDIA VERTICALS. These new tall nated described on page 12. FLUSHING - Flushing Yew GRANDIFOLIA - Bigleaf Yew PYRAMIDALIS - Pyramid Yew ROBUSTA - Obelisk Yew	15 J. 15 J. 15 J. 12 J. 13 J. 13 J. 13 J. 13 J. 12 J. 13 J. 12 J. 13 J. 15 J.	.12½ .12½ .09 .10 .10 .10 .10 .10 .10 .10 .10 .10 .11 .10 .12½ .12½ .12½ .12½ .12½	.08 .09 e best apact, .09 .09 .09 .09 .09 .09

POTTED AZALEAS

Strong, sturdy liners from 21/4" pots. All plants greenhouse grown — rooted last summer, potted this fall and benched (in pots) during the winter and early spring.

each per variety 10 GABLE HYBRIDS. Hybridized by Joseph Gable of Stewartstown, Pa., thru long years of meticulous work to find the hardiest and the most beautiful. Offered below are the hardiest of the hardy. From 24" pots. CAROL (B8G) Pure, very bright hose-in-hose pink like

Caroline Gable but grows much lower and more com-.30 pactly.

ELIZABETH GABLE (21G) Large single rose pink, truly evergreen with deep green foliage .30 F3G Hose-in-hose blood red. Plants dwarf to medium. Much like James Gable (F1G) .30

HERBERT (47G) - Large semi-double red-purple, frilled. Strong bloomer and grower. Very hardy. .30 LA LUMIERE (100G) Small single bright red. .25

Rather slow growing plant with good habit. .30 .25

LORNA (C8G) Beautiful deep pink, fully double flowers borne in profusion on a compact evergreen plant. Blooms last long without fading. .30

LOUISE GABLE (13G) - Large double deep salmon-pink satin textured flowers. Very hardy and very attractive.

MARYANN (38G) Clear double pink large flowers on a sturdy evergreen plant. Very hardy. .30 .25
MILDRED MAE (69G) Large lavender flowers spotted bright red in the throat. Broad shapely plant with dense evergreen foliage. An early spectacle.

POLARIS (118G) Hose-in-hose pure white flowers somewhat larger than snow. Plants larger, more open. .30

ROSEBUD (B5G) Dwarf, almost miniature, with fully double soft rose pink blossoms that resemble small Extremely flordouble roses especially when opening. ferous and will not crowd the smallest garden. Grown from original stock plants from Mr. Gable who states there is another azalea on the market named Rosebud, not named by him, which is a faster, looser grower and may not be as hardy.

Limit 25 ROSE GREELEY (D3G) Pure white, hose-in-hose. Plant compact with good branching habit and hardy. The best white yet offered to replace snow, ledifolia alba. Limit 50

HINO-CRIMSON - New hardy, non-fading crimson-red with glossy dark green foliage. Far better than hinodegiri. ($18\frac{1}{2}$ each per 1000, $17\frac{1}{2}$ each per 5000) .25

KAEMPFERI HYBRIDS

(per variety)

 $.22\frac{1}{2}$.17 1/2

BETTY - Bright pink CARMEN - Rose-pink, low & compact FEDORA - Large deep rose-pink, tall

LATE BLOOMING HYBRID - Salmon pink-orange

MAROON - Deep maroon MARY - Deep pink

MAXWELLI - Large carmine-red, blooms late on low com- $.22\frac{1}{2}$.171/2 pact plant.

(Continued Next Page)

Each per 10 100 AZALEAS (Cont'd) PONTICA (GHENT) HYBRIDS - See page 20 VUYKIANA HYBRIDS - New hardy evergreens with large trumpet flowers of pastel shades that bloom just as foliage appears. (per variety) .30 BEETHOVEN - Frilled mauve, compact JOHANN STRAUSS - Salmon-rose, rich glossy foliage JOSEPH HAYDEN - Large lilac-orchid, showy GERARDINA VUYK - Deep pink, dark throat MOZART - Large silvery pink, pretty HELENA VUYK (P.W. HARDYZER) - Carmine-rose SHUBERT - Pink, good habit WILHELMINA VUYK (PALESTRINA) - Large pure white spotted green on compact vigorous plant

POTTED EVERGREENS, SHRUBS & TREES

21/4" POT UNLESS LISTED OTHERWISE

Each per variety	10	100
ABELIA GRANDIFLORA - Glossy Abelia	.20	.15
ACER PAL. ATROPURPUREUM - Red Ja	panese	Maple.
Selected seedlings from selected trees	•	
2yr 2¼" Pot, 6-8" hvy	.40	.35
	each per	
3" Pot	.60	.50
AZALEAS - See page 17, 20 and above.		
BUXUS MICROPHYLLA KOREANA - Ko		
Boxwood. A low, compact shrub, excellent for	or neage $.22\%$	es. One $17\frac{1}{2}$
of the hardiest of the Boxwoods. FRANKLINIA ALATAMAHA (GORDONIA)		
Tree. 1yr 3" Pot from cuttings	.75	.65
ILEX AQUIFOLIUM - English Holly		.00
FEMALE	.50	.40
MALE	.50	.40
PYRAMIDALIS (female)	.50	.40
ILEX CRENATA - Japanese Holly		
CONVEXA (Bullata) - Convexleaf J. H.	$.22\frac{1}{2}$.171/2
HELLERI - Heller J. H.	.25	.20
LATIFOLIA - Largeleaf J. H.	.25	.20
LONGIFOLIA - Longleaf J. H.	.25	.20
MICROPHYLLA - Littleleaf J. H.	.25	.20
ROTUNDIFOLIA - Roundleaf J. H.	.25	.20
ILEX OPACA - American Holly		
FEMALE - Selected Strains	.50	.40
3" Pot	,75	.65
MASCULA - Male	.50	.40
PYRAMIDALIS - Pyramidal A. H.	.50	.40
3" Pot	.75	.65
KERRIA JAP. PLENIFLORA - Double Kerria.		
with very attractive orange-yellow flowers,		.20
MAGNOLIA - Among the best of the flowering	_	
LILIFLORA NIGRA - Purple Lily Magnolia		purple
flowers on strong plant with large leaves.	.60	
SOULANGEANA - Saucer Magnolia.	.50	.40
ALEXANDRINA - Alexander Magnolia.		white
flowers tinged purple outside	.50	
NIGRA - Red Saucer Magnolia. Late	.60	.50
RUSTICA RUBRA - Purple Saucer Magno	lia. Lar	ge red-
dish purple flowers	.60	.50

POTTED EVERGREENS, SHRUBS & TREES

24" POT UNLESS LISTED OTHERWISE

MAGNOLIA (Cont'd)	Each per 10	100
STELLATA - Star Magnolia. Slower	growing, smaller	plant
that soulangeana with smaller le	eaves. Star-like	white
flowers have many petals and are	e fragrant. Bloon	is ap-

that soulangeana with smaller leaves. Star-like white flowers have many petals and are fragrant. Blooms appear before leaves and about cover the plant. Excellent for lawn & garden.

WATERLILY - Waterlily Magnolia. Hybrid of the Star Magnolia which it resembles very closely in habit. Flowers appear as pink buds on most tips of branchlets before the leaves. As they open the pink tipped white petals are most attractive and fragrant. Excelent for lawn & garden.

PRUNUS LAUROCERASUS SCHIPKAENSIS - Hardy Cherry Laurel. An attractive hardy evergreen with dark leaves and fluffy white flower. .30 .25

PRUNUS - Flowering Japanese Cherry

KWANZAN (**Kanzan**) - Considered the best of the double pinks. 214" pot, own root .30 .25

PYRACANTHA COCCINEA - Firethorn

LALANDI - Laland Firethorn. Hardy shrub with orangered berries that are very attractive .25 .20

LOWBOY - Lowboy Firethorn. A compact bushy form that spreads out rather than up. A great improvement on the Lalandi which easily outgrows its location .30 .25

RHODODENDRON - See page 20

SARCOCOCCA HOOKERIANA HUMILIS - Small Himalaya Sarcococca .30 .25

TAXUS BAC. REPANDENS - Spreading English Yew (\$.22½ ea. per 1000) .30 .25

VIBURNUM - Among the best of the flowering shrubs

BURKWOODI - Superior to carlesi in foliage which is semievergreen and a dark glossy green in color. Flowers are fragrant pinkish clusters, appearing in May. (\$.22½ ea. per 1000) .30 .25

CARLESI - Fragrant Viburnum. An old favorite and rightfully so. Waxy pinkish flowers appear in rounded clusters before the foliage appears and have a pleasing fragrance. (.32½ ea. per 1000) .45 .35

SIEBOLDI - Siebold Viburnum. Creamy white flowers in May or June. Large lustrous dark green foliage. Pink fruits change to black.

TOMENTOSUM - Doublefile Viburnum. Flat heads of white flowers in June followed by red to black berries.

(.17½ ea. per 1000) .25 .20

TOMENTOSUM PLICATUM - Japanese Snowball. Showy white snowballs in June. Foliage turns wine red in fall. Red fruits change to black. One of the showiest shrubs.

IMPORTED STOCK 1YR GRAFTS FROM 3½" POTS

Again we will import from Holland carefully selected 1 yr grafts of hardy hybrid varieties. They will be received in December, potted in 3½" clay pots in a specially prepared Rhododendron soil and peat mixture and placed in a cool greenhouse for root development. There they will develop a firm root ball after which they will put on an initial growth. After frost danger the sashes from the house will be removed and replaced with lath shade. You will receive healthy, well developed branched plants about 8-12", sufficiently hardened to permit outdoor planting under shade. **READY FOR SHIPMENT ABOUT MAY 15th.**

EVERY PLANT - A GROWING PLANT

AZALEAS

PONTICA - GHENT HYBRIDS. Abundance of funnel like flowers up to two inches long and two inches across that appear in early May. Foliage is dark green and turns to beautiful fall colors.

\$15.00 per 10, \$67.50 per 50, \$125.00 per 100 (varieties may be assorted)

- -COCCINEA SPECIOSA Orange-red
- -- DAVIESI White
- -GLORIA MUNDI Orange-red
- -NANCY WATERER Golden yellow
- -NARCISSIFLORA Double yellow
- -PALLAS Early red

RHODODENDRON

\$16.50 per 10, \$75.00 per 50, \$135.00 per 100 (varieties may be assorted)

AMERICA - excellent red
CARACTACUS - crimson, good compact habit
CATAWBIENSE ALBUM - pure white, good habit
DR. DRESSELHUYS - aniline red, tall
DR. RUTGERS - red, fringed
E. S. RAND - good red, low
EVERESTIANUM - rose-lavender, fringed

F. D. GODMAN - dark red, crimson blotch LADY CLERMONT - good pink

LEE'S DARK PURPLE - dark purple

PROF. BETTEX - Fine red, good habit

INEXPENSIVE WOOD FLATS

PINE - USE FOR VEGETABLE PLANTS, ORDERS ETC.

ALREADY ASSEMBLED - READY TO USE

APPROX. 13 x 16 x 2% INSIDE MEASURE

NO SHIPPING

\$15.00 per 100

NOTES

TERMS AND CONDITIONS OF SALE

5 AT 10 RATE - 50 AT 100 RATE - 500 AT 1,000 RATE

PRICES quoted herein cancel those in all previous lists, are subject to change without notice and are quoted to members of the trade only. Proof of such other than mere statement must be established.

TERMS to those with established credit are 2% 10, net 30 days from date of shipment or invoice which ever is later, packing charged at cost. All others are required to remit in full (no discounts) with the order for which we in turn will pack free of charges or to remit 50% (no discounts) with the order with the balance plus packing charges paid C.O.D.

(Please note: Prepaid orders earn their discount in the form of packing without charge. No further discounts other than special offer discounts are acceptable.

RATES: 5 to 49 of one species, variety and grade are priced each at the 10 rate, 50 or more at the 100 rate when listed and 500 or more at the 1000 rate when listed. Unless otherwise stated not less than 5 of any one species, variety and grade will be sold.

SHIPMENTS travel at the risk and cost of the purchaser and will be forwarded via railway express. Requests for parcel post shipment must be accompanied by sufficient postage (usually 10% - balance will be refunded). Truck deliveries at cost may be arranged. Orders may be picked up at the nursery by previous arrangement only.

As the stock permits, orders will be shipped in order of receipt. We can not guarantee prompt shipment of late orders. Order early.

CLAIMS must be made in writing within 10 days of receipt of shipment. Inspect damaged or overdue containers at time of receipt and obtain report from or initiate claim to the agent.

GUARANTEE: We shall willingly replace any stock that proves untrue to name but will in no case be liable for more than the original purchase price.

NOTICE: All stock is offered subject to prior sale. Orders will be accepted in order of receipt and only on condition that they may be voided due to crop failure, inclement weather, drought, fire, frost, strike, etc. We reserve the right to delay shipments to the best interest of the plants.


IS YOUR ADDRESS CORRECT?

If any changes are necessary, you can help us by making them on the address section of this catalog, clipping out the card and dropping it into the mail box. No stamp is required.



Perhaps you have no use for our catalogs and price lists. If so, we would appreciate your writing "Can't use 'em", "Don't want 'em", "File 13" or just plain "NO" across the address, clipping out the card and dropping it in the mail box. No stamp is required.

Thank you



Postage Stamp
Necessary
If Mailed in the
United States

Business Reply Post Card First Class Permit No. 2, Seg. 510, P. L. & R., Neshanic Sta., N.

JOHN VERMEULEN & SON, INC.
Neshanic Station,
New Jersey





JOHN VERMEULEN & SON, INC.

NURSERYMEN

LINING OUT SPECIALTIES NESHANIC STATION, N. J.

RETURN AND FORWARDING POSTAGE GUARANTEED





POSTMASTER: If addressee has moved and new address is known, notify sender on FORM 3547. In case of non-delivery for any reason, make reason known hereon and return to

Plant Homerica

Sec. 34.66, P. L. & R. U. S. POSTAGE

NESHANIC STA, N.J. Permit No. 1 PAIL

U.S. Dept. ATOKAKY.

Washington 35, D.C.

IF ADDRESS IS NOT CORRECT, OR IF YOU DO NOT USE OR WANT THIS CATALOG, SEE PAGE 22